Form	et 1 of 8 m PTO-1449 RECEIVED		DOCKET NO. 22253-70421 APPLN. NO. 10/03/256			
16	PF		DOCKET NO. 22253-70421	LCH CENTED LOOK		
10.		S. Department of Channel co 2003	DOCKET NO. 22233-70421	1 APPLN. NO. 10/02/256		
1 _	, 417	Filed: Dealer DEATER 1600/2900	APPLICANT: Lewis A. Chodosh,	et al.		
DET		E	FILING DATE: 12/21/2001	クロンコロ		
E S	- 101	OTHER DOCUMENT(S) (Including	Andhan Mil D. D.	etc.)		
137	ETHAL	kinase Hekl1 in early human B lymphopoiesis."	APG I "Daguales I	Eph-related receptor tyrosine		
I	02	Adams, R. H., Wilkinson, G. A. Weiss, C. Diell	3 F. Golo N. W. D. (1997).			
		ephrinB ligands and EphB receptors in cardiovase vascular morphogenesis, and sprouting angiogenesis	cular development: De-marcation of	I, W., and Klein, R. "Roles of arterial/venous domains		
	03					
		Theillet, C. "BEK and FLG, two receptors to men	G., Jaye, M., Schlessinger, J., Jeante	ur, P., Birnbaum, D., and		
	-	Theillet, C. "BEK and FLG, two receptors to members of the FGF family, are amplified in subsets of human breast cancers." Oncogene 6: 659-663 (1991).				
	04	O4 Alderson, A., Sabelli, P., Dickinson, J., Cole, D., Richardson, M., Kreis, M., Shewry, P., and Halford, N. "Complementation of snf1, a mutation affecting global regulation of carbon metabolism in yeast, by a plant protein kinase cDNA." Proc. Natl. Acad. Sci. USA 88: 8602-8605 (1901)				
		kinase cDNA," Proc. Natl. Acad. Sci. USA 88: 86	nobal regulation of carbon metabolisi	n in yeast, by a plant protein		
	05	Andres, AC., Zuercher, G. Dionov, V. Flueck	02-0003 (1991).			
	106	the estrous cycle and carcinogenesis of the mamm	ary gland." Int. J. Cancer 63: 288-29	ine kinase expression during		
	06					
	ľ	Eur. J. Biochem. 235: 736-743 (1996)	domain that defines a sub-family of s	erine/threonine kinases."		
	07	Bergemann, A. D., Zhang L. Chiang M. K. Prov	nhilla R Klein R and Flancon I	0 40 11 22		
$-\downarrow$	00	the receptor EphB3, expressed at the midline of the Bessone, S., Vidal, F., Le Bouc, Y., Epelbaum, I.	e developing neural tube." Oncogene	G. "Ephrin-B3, a ligand for		
	08					
1		214: 87-101 (1999).	merations in the somatotrope and pro	lactin pathways." Dev. Biol.		
T	09	Betzl, G., Brem, G. and Weidle II H "Enigenetic	modification for			
		mammary tumor virus LTR: tissue-dependent influ 719 (1996).	ence on transcription of the transgen	es." Biol. Chem. 377; 711-		
	10	Bishop, D. F., Calhoun, D. H., Bernstein, H. S. Ha	ntropoules D. O			
			lone encoding the mature enzyme "	Proc. Natl. April 5: 1194		
	11	83: 4859–4863 (1986)	——————————————————————————————————————	Toc. Nati. Acad. Sci. USA		
	''	Bocchinfuso, W. P. and Korach, K. S. "Mammary knockout mice." J. Mamm. Gland Biol. Neoplasia 2	gland development and tumorigenesi	s in estrogen receptor		
	12	Bohm, H., Brinkmann, V. Drah M. Henske A. a.	323-334 (1997).			
	1 1	PAR-1 are asymmetrically localized in epithelial ce (1997).	lls and may influence their polarity."	mologues of C. elegans Curr Riol 7: 603, 606		
-	13	Brinkley P. M. Class V. Balan J. B.		Outr. Dioi. 7. 003-000		
		Brinkley, P. M., Class, K., Bolen, J. B., and Penhall murine ctk gene." Gene 163: 179-184 (1995).				
	14	Buhler, T. A., Dale, T. C. Kiehack C. Huranhrava	R. C. and Rosen J. M. "Localization	1		
-	15					
	13	Cance, W. G., Craven, R. J., Weiner, T. M., and Liu cancer." Int. J. Cancer 54: 571-577 (1993).	, E. T. "Novel protein kinases expres	sed in human breast		
1		Cardiff, R. D., and Muller, W. J. "Transgenic mouse (1993).				
		(1993).	models of mammary tumorigenesis.	" Cancer Surv. 16: 97-113		
	17	Cardiff, R. D., Sinn, E., Muller, W., and Leder, P. "I genotype." Am. J. Pathol. 139: 495-501 (1901)	Transgenic oncogene mice. Tumor pl	enotype predicts		
	18	genotype." Am. J. Pathol. 139: 495-501 (1991).		tenety per predicts		
1		Carling, D., Aguan, K., Woods, A., Verhoeven, A. J. and Scott, J. "Mammalian AMP-activated protein kin in the regulation of carbon metabolism." I Riol Cha		ttom, C., Davison, M. D.,		
+	10	in the regulation of carbon metabolism." J. Biol. Che	m. 269: 11442–11448 (1994)	t protein kinases involved		
11	19	Carlson, M., Osmond, B., and Botstein, D. "Mutants (1981).	of yeast defective in sucrose utilizati	on." Genetics 98: 25_40		
	20 Celenza, J. L., Eng, F. J., and Carlson, M. "Molecular analysis f the SNF4 gene of Saccharomyces cerevisiae: Evidence for physical association of the SNF4 protein with the CNF4.					
SF 1]	Evidence for physical association of the SNF4 protein (1989).	r analysis f the SNF4 gene of Saccha	romyces cerevisiae:		
-	- (men the Star i protein kinase." Mo	I. Cell. Biol. 9: 5045-5054		
ramine		ature: Frenden Fottly	Date Considered:	NI NI NI		

•EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. PTO-1449.doc

GRECLIVEU

	2 of 8 DSFQ-14	JAN 0 3 2003		RECEIVED
COTT	14 0-14		DOCKETNIC 22252 50 424	- LIVED
	જ <u>ી</u>	U.S. Department of Commenter 1600/2900	DOCKET NO. 22253-70421	APPLN, NO. 10/032,256
3 9 2	nn 6		APPLICANT: Lewis A. Chodosh	Ta
		Date Filed: December 31, 2002		CENTED 1000 100
DEMAR	F.		FILING DATE: 12/21/2001	GROUP 1645 1600/290
DEMAR	KO.	OTHER DOCUMENT(S) (Including	Author, Title, Date, Pertinent Pages	. etc.)
	21	Cho, R. J., Campbell, M. J., Winzeler, E. A., S	teinmetz, L., Conway, A., Wodicka, I	, Wolfsberg, T. G.,
BF		Gabrielian, A. E., Landsman, D., Lockhart, D. mitotic cell cycle." Mol. Cell 2: 65-73 (1998).		
	22	Chodosh, L. A., D'Cruz, C. M., Gardner, H. P., and Wang, M. "Mammary gland development,	, Ha, S. I., Marquis, S. T., Rajan, J. V reproductive history, and breast canc	., Stairs, D. B., Wang, J. Y. er risk." Cancer Res. 59:
\dashv	23	1765-1771S (1999).	oin D. D. Marris G. W	
	23	Chodosh, L. A., Gardner, H. P., Rajan, J. V., Stexpression during murine mammary development	airs, D. B., Marquis, S. I., and Leder	, P. A. "Protein kinase
+	24	Ciriacy, M. "Isolation and characterization of y	east mutants defective in intermedian	v corbon motobalism and i
1		carbon catabolite repression." Mol. Gen. Genet.	. 154: 213–220 (1977).	y caroon metabonsm and n
	25	Copeland, N. G., and Jenkins, N. A. "Developm	nent and applications of a molecular s	enetic linkage man of the
		mouse genome." Trends Genet. 7: 113-118 (19	91).	- •
1	26	Delabar, J. M., Theophile, D., Rahmani, Z., Che	ettouh, Z., Blouin, J. L., Prieur, M., N	oel, B., and Sinet, P. M.
1		"Molecular mapping of twenty-four features of	Down syndrome on chromosome 21.	" Eur. J. Hum. Genet. 1: 1:
	27	124 (1993).	D INI 1 A W	
	"	Di Fiore, P., Pierce, J. H., Fleming, T. P., Hazar "Overexpression of the human EGF receptor co	n, K., Ullrich, A., King, C. R., Schless	singer, J. and Aaronson, S.
1		Cell 51: 1063-1070 (1990).	mers an EOF-dependent transformed	pnenotype to NIH 313 cel
	28	Drewes, G., Ebneth, A., Preuss, U., Mandelkow	E. M. and Man-delkow F "MARK	a novel family of protein
	1	kinases that phosphorylate microtubule-associat	ted proteins and trigger micro-tubule	dispuntion " Coll 80. 207_3
		(1997).		
	29	Dymecki, S. M., Niederhuber, J. E., and Deside lymphoid cells." <i>Science</i> 247: 332–336 (1990).		
30 Elson, A., and Leder, P		Elson, A., and Leder, P. "Protein-tyrosine phosp	phatase epsilon. An isoform specifica	illy expressed in mouse
	31	mammary tumors initiated by v-Ha-ras or neu."	J. Biol. Chem. 270: 26116–26122 (1	995).
	31	Fan, C. M., Kuwana, E., Bulfone, A., Fletcher, Opuelles, L., Rubenstein, L. R., and Tessier-Lavig	C. F., Copeland, N. G., Jenkins, N. A.,	Crews, S., Martinez, S.,
- }		Drosophila single-minded suggest possible roles	s in embryonic natterning and in the	nurine homologs of
1		syndrome." Mol. Cell. Neurosci. 7: 519 (1996).	s in emotyonic patterning and in the p	autogenesis of Down
	32	Ferrari, S., Manfredini, R., Tagliafico, E., Grand	le, A., Barbieri, D., Balestri, R., Pizza	melli M. Zucchini P. Cit
		G., Zupi, G., et al. "Antiapoptotic effect of c-fes	protooncogene during granu-locytic	differentiation." Leukemia
	<u> </u>	591-94 (1994).		
	33	Fields, S., and Song, O. "A novel genetic system	to detect protein-protein interaction	s." Nature 340: 245-246
	34	(1989).	D A January A M S	337 1 1
- ["	Fox, G. M., Holst, P. L., Chute, H. T., Lindberg, cloning and tissue distribution of five human EP	R. A., Janssen, A. M., Basu, R., and	Welcher, A. A. "cDNA
		(1995).	11-like receptor protein-tyrosine kinas	ses. <i>Oncogene</i> 10: 897–90
	35	Ganju, P., Walls, E., Brennan, J., and Reith, A. I	D. "Cloning and developmental expre	ssion of Nsk2 a novel
		receptor tyrosine kinase implicated in skeletal m	yogenesis." Oncogene 11: 281-290 (1995).
	36	Gavin, B. J. and McMahon, A. P. "Differential r	egulation of the Wnt gene family dur	ing pregnancy and lactation
	<u>-</u> -	suggests a role in postnatal development of the n	nammary gland." Mol. Cell. Biol. 12:	: 2418-2423 (1992)
	37	Guo, S. and Kemphues, K. "par-1, a gene require	ed for establishing polarity in C. elega	ans embryos, encodes a
	120	putative ser/thr kinase that is asymmetrically dis	tributed." Cell 81: 611-620 (1995).	
- {	38	Guy, C. T., Muthuswamy, S. K., Cardiff, R. D.,	Soriano, P., and Muller, W. J. "Activa	ation of the c-Src tyrosine
	39	kinase is required for the induction of fnammary	tumors in transgenic mice." Genes L	Jev. 8: 23–32 (1994).
BF		Hanks, S. K., Quinn, A. M., and Hunter, T. "The phylogeny of the catalytic domains." Science 24	1: 42–52 (1988).	
xamin	ier Sign	ature: Brandon Fatters!	Date Considered	1: M14/24

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant(s). PTO-1449.doc

RECEIVED

RECEIVED

Shee	Sheet 3 of 8				
	n PTO-14	JAN 0 3 2003		IIAN O C and	
DIP		1AN 0 0 2003	DOCKET NO. 22253-70427	AN 0 6 2003 APPLN. NO. 10/032,256	
	(g)	U.S. Departmen 2019 merce 1600/2900	DOCKET NO. 22253-7042	CENTER 1600/2000	
tc 3 1	2002	Date Filed: December 31, 2002			
	- À	OTHER DOCUMENT(S) (Including	FILING DATE: 12/21/2001	GROUP 1645	
75/24	/ Lab	Hanks, S., and Quinn, A. "Protein kinase catalyt	is domain sequence database Identif	, etc.)	
MAD!	EM PARO	of primary structure and classification of family r	nembers " Mathods Firstmal, 200, 2	ication of conserved features	
	41	Hardie, D. G. "Roles of the AMP-activated/SNF1	protein kinase family in the response	e to cellular stress " Riochem	
 Hardie, D. G. "Roles of the AMP-activated/SNF1 protein kinase family in the response to cellular Soc. Symp. 64: 13-27 (1999). Hardie, D. G., Carling, D. and Halford, N. "Roles of the Snf1/Rkin1/AMP-activated protein kinase 					
			rotein kinase family in the		
		response to environmental and nutritional stress."	' Semin. Cell Biol. 5: 409-416 (1994).	
1	43	Hardie, D. G., Corton, J., Ching, Y. P., Davies, S.	P., and Hawley, S. "Regulation of li	pid metabolism by the AMP-	
activated protein kinase." Biochem. Soc. Trans. 25: 1229-1231 (1997).					
44 Hardie, D. G., Salt, I. P., Hawley, S. A., and Davies, S. P. "AMP-activated protein kinase: A			nase: An ultrasensitive system		
for monitoring cellular energy charge." Biochem. J. 338: 717–722 (1999).			J. 338: 717–722 (1999).		
	45	Henderson, B. E., Ross, R. K. and Bernstein, L. "	Estrogens as a cause of human cance	r: the Richard and Hinda	
-+	46	Rosenthal Foundation Award Lecture." Cancer R	es 48: 246-253 (1988).		
	40	Herve, D., Rogard, M., and Levi-Strauss, M. "Morat brain." Brain Res. Mol. Brain Res. 32: 125-13	olecular analysis of the multiple Golf	alpha subunit mRNAs in the	
	47	Heyer, B. S., Warsowe, J., Solter, D., Knowles, B		mhor of the CaCLANDIA	
	''	kinase family, Melk, is expressed in the mouse eg	s and preimplantation embryo" Moi	Danrod Day 47: 149 156	
1		(1997).	ss and premiplantation emoryo. Wor	. Keprou. Dev. 47; 148–150	
_	48		lager, G. L. "Glucocorticoid regulation	on of the Ha-MuSV n21 gene	
Huang, A. L., Ostrowski, M. C., Berard, D. and Hager, G. L. "Glucocorticoid regulation of the Ha-MuSV conferred by sequences from mouse mammary tumor virus." Cell 27: 245-255 (1981).			on or no ria wide v pri gene		
	49	Humphreys, R. C., Lydon, J. P., O'Malley, B. W.	and Rosen, J. M. "Use of PRKO mi	ce to study the role of	
		progesterone in mammary gland development." J.	. Mamm. Gland Biol. Neoplasia 2: 34	13-354 (1997).	
	50 Itoh, N., Mima, T., and Mikawa, T. "Loss of fibroblast growth factor receptors is necessary for terminal		ssary for terminal		
		differentiation of embryonic limb muscle." Develo			
	51	Jenkins, N. A., Copeland, N. G., Taylor, B. A., an	d Lee, B. K. "Organization, distribut	ion, and stability of	
	(1982).		A sequences in chromosomes of Musmusculus." J. Virol. 43: 26		
	52	Jin, L., Fuchs, A., Schnitt, S. J., Yao, Y., Joseph,	A., Lamszus, K., Park, M., Goldberg	, I. D., and Rosen, E. M.	
		"Expression of scatter factor and c-met receptor in	n benign and malignant breast tissue." Cancer 79: 749-760 (1997).		
53 Kel		Kelsey, J. L., Gammon, M. D. and John, E. M. "Reproductive factors and breast cancer." <i>Epidemiol. Rev.</i> 15: 36-47 (1993).			
	54	Klijn, J., Berns, E., and Foekens, J. "Prognostic fa	ctors and response to therapy in brea	st cancer." In "Breast	
		Cancer" (I. Fentiman and J. Taylor-Papadimitriou	, Eds.) 18: 165-198. Cold Spring Ha	rbor Laboratory Press. Cold	
		Spring Harbor, NY. (1993).			
T	55	Kluppel, M., Donoviel, D. B., Brunkow, M. E., M	otro, B., and Bernstein, A. "Embryon	nic and adult expression	
		patterns of the Tec tyrosine kinase gene suggest a	role in megakaryocytopoiesis, blood	vessel development, and	
		melanogenesis." Cell Growth Differ. 8: 1249-125			
	56	Korenberg, J. R., Chen, X. N., Schipper, R., Sun, 2	Z., Gonsky, R., Gerwehr, S., Carpent	er, N., Daumer, C., Dignan,	
BI		P., Disteche, C., et al. "Down syndrome phenotype	es: The consequences of chromosom	al imbalance." Proc. Natl.	
	57	Acad. Sci. USA 91: 4997–5001 (1994).	"IIdantiGastian of the second of	1	
· —	13/1	Korobko, I. V., Kabishev, A. A., and Kiselev, S. L transcribed in mouse tumors with high metastatic	on Ligarian Control of the new protein	kinase specifically Truns?	
	- 58	Kozak, M. "An analysis of 59-noncoding sequence	es from 699 vertebrate messenger DN	. JJ4-JJU (1771). JAs" Nuclair Acide Dag 15.	
34	- -	8125–8132 (1987).	o>> voltentate niessengel Ri	1110. Prucien Acius Res. 13:	
0.0	59	Kozak, M. "An analysis of vertebrate mRNA sequ	ences: Intimations of translational co	ontrol." J. Cell Biol. 115	
BP		887–903 (1991).			
Evam	iner Sign	nature: 2-c Via//4-	Date Considered	15 - 45 - 1	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant(s). PTO-1449.doc

	242	PECEIVED				
Sheet 4 of 8 Form PTO-1449 Figure 1						
rom PIC)-144 	JAN 0 3 2003	DOCKET NO. 2	2253-70421	A:DDI N. NO. 10/022 256	
01	PE	U.S. Department of Commerce		JAR	APPLN. NO. 10/032,256	
V		SELH CENTED ADDROOM	APPLICANT: Le	ewis A. Thoupsh	et al.	
DEC 3	200	Date Filed: December 31, 2002		3110	VIER 1600/0000	
<u></u>	400	OTHER DOCUMENT(S) (Including	FILING DATE: 12/2	21/2001	GROUFOR/2900	
2	60	Whill C E Langford D Cale N W Calland	A Marcelle C. Y	anconoulos G D	Erzser S E and Bronner	
P. YOU	MARY	Fraser, M. "Interactions of Eph-related receptors	and ligands confer	rostrocaudal patter	n to trunk neural crest	
101	1 01 Imgration. Curr. Bioi. 7: 3/1–360 (1997).					
$\perp \prime \perp \mid \cdot \mid$	61	Kurioka, K., Nakagawa, K., Denda, K., Miyazaw	a, K., and Kitamur	a, N. "Molecular cl	loning and characterization of	
	ı	a novel protein serine/threonine kinase highly exp (1998).	pressed in mouse e	mbryo." <i>Biochim. I</i>	310phys. Acta 1443: 275–284	
	62	Lai, C., Gore, M., and Lemke, G. "Structure, exp	ression, and activit	y of Tyro 3, a neur	al adhesion-related recentor	
		tyrosine kinase." Oncogene 9: 2567–2578 (1994)			· -	
	63	Lambe, M., Hsieh, CC., Tricholpoulos, D., Ekb	om, A., Pavia, M.,	and Adami, HO.	Transient increase in the	
	64	risk of breast cancer after giving birth." N. Engl. Leder, A., Pattengale, P. K., Kuo, A., Stewart, T.	J. Med. 331: 5-9 (1	.994).	daanaad daaraadaa	
	۱ '	c-myc gene in transgenic mice: Multiple neoplass	ہے., ھالا کے تعدید ہے۔ ر ns and normal deve	consequences of Wi elopment." Coll 45	tuespread deregulation of the 485–495 (1986)	
	65	Le Guen, L., Thomas, M., Bianchi, M., Halford, 1	N. G., and Kreis, M	I. "Structure and ex	pression of a gene from	
		Arabidopsis thaliana encoding a protein related to	SNF1 protein kina	ase." Gene 120: 24!	9–254 (1992).	
1 / 1	66	Lee, K. S., Yuan, YL. O., Kuriyama, R., and Erninteracts with a kinesin-like protein, CHO1/MKL	ikson, R. L. "Plk is	an M-phase-specif	ic protein kinase and	
1	67	Lehtola, L., Partanen, J., Sistonen, L., Korhonen,	I Warri A Hark	onen P Clarke R	(1995).	
		of tyrosine kinase mRNAs including four FGF re-	ceptor mRNAs exp	ressed in MCF-7 b	reast cancer cells." Int. J.	
		Cancer 50: 598-603 (1992).				
	68	Levin, D. E., and Bishop, J. M. "A putative protein	in kinase gene (kin	11) is important for	growth polarity in	
1		Schizosaccharomyces pombe." <i>Proc. Natl. Acad.</i> Li, J., Simpson, L., Takahashi, M., Miliaresis, C.,			D "The DTENIMMACI	
		tumor suppressor induces cell death that is rescue	d by the AKT/prote	ein kinase B oncog	ene." Cancer Res. 58: 5667-	
	- 1	5672 (1998).				
1 17	70	Li, J., Yen, C., Liaw, D., Podsypanina, K., Bose,	S., Wang, S. I., Puc	, J., Miliaresis, C.,	Rodgers, L., McCombie, R.,	
	Bigner, S. H., Giovanella, B. C., Ittmann, M., Tycko, B., Hibshoosh, H., Wigler, M. H., and Parsons, R. "PTEN, a putative protein tyrosine phosphatase gene mutated in human brain, breast, and prostate cancer [see comments]."					
	ŀ	Science 275: 1943–1947 (1997).				
7	71	Liang, T. J., Reid, A. E., Xavier, R., Cardiff, R. D	., and Wang, T. C.	"Transgenic expre	ssion of tpr-met oncogene	
	72	leads to development of mammary hyperplasia an	d tumors." J. Clin.	Invest. 97: 2872-2	877 (1996).	
	′2	Liaw, D., Marsh, D. J., Li, J., Dahia, P. L., Wang, Eng. C. and Parsons R. "Germline mutations of the control o	S. I., Zneng, Z., Be the PTFN gene in C	ose, S., Call, K. M. Towden disease, an	, Isou, H. C., Peacocke, M.,	
	Eng, C., and Parsons, R. "Germline mutations of the PTEN gene in Cowden disease, an inherited breast and thyroic cancer syndrome." Nat. Genet. 16: 64-67 (1997).					
7	73	Ligos, J. M., Gerwin, N., Fernandez, P., Gutierrez	-Ramos, J. C., and	Bernad, A. "Clonia	ng, expression analysis, and	
		functional characterization of PKL12, a member of	of a new subfamily	of Ser/Thr kinases.	" Biochem. Biophys. Res.	
 	Commun. 249: 380-384 (1998). 74 MacMahon, B., Cole, P., Lin, T. M., Lowe, C. R., Mirra, A. P., Ravnihar, B., Salber, E. J., Valaoras, V. G., and					
		Yuasa, S. "Age at first birth and breast cancer risk			on, varaoras, v. O., alki	
1. 7	5	MacMahon, B., Trichopoulos, D., Brown, J., And	ersen, A. P., Aoki,	K., Cole, P., DeWa	ard, F., Kaureniemi, T.,	
		Morgan, R. W., Purde, M., Ravnihar, B., Stormby, N., Westlund, K., and Woo, NC. "Age at menarche, probability				
1 / 7	of ovulation and breast cancer risk." <i>Int. J. Cancer</i> 29: 13–16 (1982). 76 Maggiora, P., Marchio, S., Stella, M. C., Giai, M., Belfiore, A., DeBortoli, M., Di Renzo, M. F., Costantino, A.,					
	Sismondi, P., and Comoglio, P. M. "Overexpression of the RON gene in human breast carcinoma." Oncogene 16:				carcinoma." Oncogene 16:	
		2927–2933 (1998).			_	
7		Manfredini, R., Balestri, R., Tagliafico, E., Trevisi				
	Citro, G., Franceschi, C., and Ferrari, S. "Antisense inhibition of c-fes proto-oncogene blocks PMA-induced macrophage differentiation in HL60 and in FDC-P1/MAC-11 cells." <i>Blood</i> 89: 135–145 (1997).				6 (1997).	
7	78 Mano, H., Sato, K., Yazaki, Y., and Hirai, H. "Tec protein-tyrosine kinase directly associates with Lyn protein-					
bF	- [1	tyrosine kinase through its N-terminal unique dom	nain." Oncogene 9:	3205-3211 (1994)		
Examiner	Sign	ature: 15 coulon Follows		Date Considered:	1114/01	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant(s). PTO-1449.doc

r	Chant	5 of 8	RECEIVED	PEOP			
		PTO-14	40	MECEIVED			
1	OTF		JAN 0 3 2003 DOCKET NO. 22253-70421	APPLNANO (10032,256			
		Ý	U.S. Department of Commerce CECH CENTER 1600/2900 APPLICANT: Lewis A. Chode	osh, etaet CFAITER			
P	T 3 1	2002	U.S. Department of Commerce Date Filed: December 31, 2002 FILING DATE: 12/21/2001	GROUP 1645			
		- 6	OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pa	oes etc)			
1/2	Borker	EA P.	Mano, H., Yamashita, Y., Miyazato, A., Miura, Y., and Ozawa, K. "Tec protein-	yrosine kinase is an effector			
\vdash	1	80	molecule of Lyn protein-tyrosine kinase." FASEB J. 10: 637-642 (1996).				
	1.		Marquis, S. T., Rajan, J. V., Wynshaw-Boris, A., Xu, J., Yin, GY., Abel, K. J., "The developmental pattern of Brca1 expression implies a role in differentiation of Nat. Genet. 11: 17-26 (1995).	of the breast and other tissues."			
	Mischak, H., Kolch, W., Goodnight, J., Davidson, W. F., Rapp, U., Rose-John, S., and Mushinski, J. F. "Expression of protein kinase C genes in hemopoietic cells is cell-type- and B cell-differentiation stage specific J. Immunol. 147: 3981-3987 (1991).						
+	+	82	Moore, F., Weekes, J., and Hardie, D. G. "Evidence that AMP triggers phosphory	lation as all as II as II			
1	1		activation of rat liver AMP-activated protein kinase. A sensitive mechanism to produce the sensitive mechanism to produce	otect the cell against ATP			
L			depletion. Eur. J. Blochem. 199; 691-697 (1991).				
		83	Morrison, B. W., and Leder, P. "neu and ras initiate murine mammary tumors tha	t share genetic markers generally			
-	+	84	absent in c-myc and int-2-initiated tumors." <i>Oncogene</i> 9: 3417–3426 (1994).				
		01	Muller, W. J., Lee, F. S., Dickson, C., Peters, G., Pattengale, P., and Leder, P. "The epithelial growth factor in transgenic mice." <i>EMBO J.</i> 9: 907–913 (1990).	ne int-2 gene product acts as an			
	1	85	Muller, W. J., Sinn, E., Pattengale, P. K., Wallace, R., and Leder, P. "Single-step	induction of mammany			
			adenocarcinoma in transgenic mice bearing the activated c-neu oncogene." Cell 54	4: 105–115 (1988)			
		86	Munn, R., Webster, M., Muller, W., and Cardiff, R. "Histopathology of transgenic	mouse mammary tumors (a			
\vdash	 	87	short atlas)." Semin. Cancer Biol. 6: 153–158 (1995). Muranaka, T., Banno, H., and Machida, Y. "Characterization of tobacco protein k				
	1	"	Saccharomyces cerevisiae SNF1 that constitutively activates expression of the glu-	inase NPK5, a homolog of			
	<u> </u>	Saccharomyces cerevisiae SNF1 that constitutively activates expression of the glucose-repressible SUC2 gene for a secreted invertase of S. cerevisiae." Mol. Cell. Biol. 14: 2958-2965 (1994)					
		88	Myohanen, S., Kauppinen, L., Wahlfors, J., Alhonen, L., and Janne, J. "Human sp Structure and chromosomal localization." <i>DNA Cell Biol.</i> 10: 467–474 (1991).	ermidine synthase gene:			
		89	Myohanen, S., Wahlfors, J., Alhonen, L., and Janne, J. "Nucleotide sequence of n	10use spermidine synthase			
\vdash		- 00	CDNA." DNA Seq. 4: 343–346 (1994).	·			
	90 Newcomb, P., Storer, B., Longnecker, M., Mittendorf, R., Greenberg, E., Clapp, R., Burke, K., Willett, W., and MacMahon, B. "Lactation and a reduced risk of premeno-pausal breast cancer." N. Engl. J. Med. 330: 81–87 (1994).						
		91	Niemann, C., Brinkmann, V., Spitzer, E., Hartmann, G., Sachs, M., Naundorf, H.,	and Birchmeier W			
			"Reconstitution of mammary gland development in vitro: requirement of c-met and	d c-erbB2 signaling for			
-		02	branching and alveolar morphogenesis." J. Cell Biol. 143: 533–545 (1998).				
<u></u>		92	Parsa, I. "Loss of a Mr 78,000 marker in chemically induced transplantable carcino human pancreas." Cancer Res. 48: 2265-2272 (1988).				
	1	93	Partanen, J., Armstrong, E., Makela, T. P., Korhonen, J., Sandberg, M., Renkonen,	R., Knuutila, S., Huebner, K.,			
	1		and Alitalo, K. "A novel endothelial cell surface receptor tyrosine kinase with extra factor homology domains." <i>Mol. Cell. Biol.</i> 12: 1698–1707 (1992).	acellular epidermal growth			
	+-	94	Parthasarathy, L., Parthasarathy, R., and Vadnal, R. "Molecular characterization of				
	1		regions of rat cortex lithium-sensitive myoinositol monophosphatase cDNA." Gene	> 191· 81_87 (1997)			
	T	95	Peng, C. Y., Graves, P. R., Ogg, S., Thoma, R. S., Byrnes, M. J., 3rd, Wu. Z., Stenl	enson M. T. and Piumica.			
			worms, H. "C-1AK1 protein kinase phosphorylates human Cdc25C on serine 216	and promotes 14-3-3 protein			
-	+	96	binding." Cell Growth Differ. 9: 197–208 (1998). Peng C. V. Graves P. P. Thomas P. S. Wei, Z. Share A. S. and District Property of the Computation of the Computatio				
	1	~	Peng, C. Y., Graves, P. R., Thoma, R. S., Wu, Z., Shaw, A. S., and Piwnica-Worms checkpoint control: Regulation of 14-3-3 protein binding by phosphorylation of Cd.	S, H. "Mitotic and G2			
	checkpoint control: Regulation of 14-3-3 protein binding by phosphorylation of Cdc25C on serine-216." Science 277: 1501-1505 (1997).						
		97	Pike, M. C., Spicer, D. V., Dahmoush, L. and Press, M. F. "Estrogens, progestoger	is, normal breast cell			
<u> </u>			profileration, and breast cancer risk." Epidemiol. Rev. 15: 17-35 (1993).	i			
1	F		Ponticos, M., Lu, Q. L., Morgan, J. E., Hardie, D. G., Partridge, T. A., and Carling, the AMP-activated protein kinase provides a novel mechanism for the control of creating the creating the control of creating the control of creating the	D. (1998). Dual regulation of eatine kinase in skeletal muscle.			
Ex	Examiner Signature: 100 1998).						

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. PTO-1449.doc

ECEIVEL Sheet 6 of 8 Form PTO-1449 JAN 0 8 2003 DOCKET NO. 22253-70421 U.S. Department of Commerce ECH CENTER 1600/2900 APPLICANT: Lewis A. Chodosh Date Filed: December 31, 2002 FILING DATE: 12/21/2001 OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, etc.) Quintrell, N., Lebo, R., Varmus, H., Bishop, J. M., Pettenati, M. J., LeBeau, M. M., Diaz, M. O., and Rowley, J. D. "Identification of a human gene (HCK) that encodes a protein-tyrosine kinase and is expressed in hemopoietic MADEM cells." Mol. Cell. Biol. 7: 2267-2275 (1987). Rahmani, Z., Blouin, J. L., Creau-Goldberg, N., Watkins, P. C., Mattei, J. F., Poissonnier, M., Prieur, M., Chettouh, Z., Nicole, A., Aurias, A., et al., "Critical role of the D21S55 region on chromosome 21 in the pathogenesis of Down syndrome." Proc. Natl. Acad. Sci. USA 86: 5958-5962 (1989). Rajan, J. V., Marquis, S. T., Gardner, H. P., and Chodosh, L. A. "Developmental expression of Brca2 colocalizes with Brca1 and is associated with differentiation in multiple tissues." Dev. Biol. 184: 385-401 (1997). Rawlings, D. J., and Witte, O. N. "Bruton's tyrosine kinase is a key regulator in B-cell development." Immunol. 102 Rev. 138: 105-119 (1994). Robinson, G. W., McKnight, R. A., Smith, G. H., and Hennighausen, L. "Mammary epithelial cells undergo secretory differentiation in cycling virgins but require pregnancy for the establishment of terminal differentiation." Development 121: 2079-2090 (1995). Ruiz, J., Conlon, F., and Robertson, E. "Identification of novel protein kinases expressed in the myocardium of the developing mouse heart." Mech. Dev. 48: 153-164 (1994). Russo, I. H., and Russo, J. "Developmental stage of the rat mammary gland as determinant of its susceptibility to 105 7,12-dimethylben(a)anthracene." J. Natl. Cancer Inst. 61: 1439-1449 (1978). Russo, J., and Russo, I. H. "Biological and molecular bases of mammary carcinogenesis." Lab. Invest. 57: 112-137 (1987). Sano, H., and Youssefian, S. "Light and nutritional regulation of transcripts encoding a wheat protein kinase 107 homolog is mediated by cytokinins." Proc. Natl. Acad. Sci. USA 91: 2582-2586. Santoro, M. M., Collesi, C., Grisendi, S., Gaudino, G., and Comoglio, P. M. "Constitutive activation of the RON gene promotes invasive growth but not transformation." Mol. Cell. Biol. 16: 7072-7083 (1996). Sato, K., Mano, H., Ariyama, T., Inazawa, J., Yazaki, Y., and Hirai, H. "Molecular cloning and analysis of the 109 human Tec protein-tyrosine kinase." Leukemia 8: 1663-1672 (1994). Sato, T. N., Qin, Y., Kozak, C. A., and Audus, K. L. "Tie-1 and tie-2 define another class of putative receptor 110 tyrosine kinase genes expressed in early embryonic vascular system." Proc. Natl. Acad. Sci. USA 90: 9355-9358 (1993). [Published erratum appears in Proc. Natl. Acad. Sci. USA, 1993, 15, 12056] Sato, T. N., Tozawa, Y., Deutsch, U., Wolburg-Buchholz, K., Fujiwara, Y., Gendron-Maguire, M., Gridley, T., 111 Wolburg, H., Risau, W., and Qin, Y. "Distinct roles of the receptor tyrosine kinases Tie-1 and Tie-2 in blood vessel formation." Nature 376: 70-74 (1995). Schnurch, H., and Risau, W. "Expression of tie-2, a member of a novel family of receptor tyrosine kinases, in the 112 endothelial cell lineage." Development 119: 957-968 (1993). Shulman, J. M., Benton, R. and St Johnston, D. "The Drosophila homolog of C. elegans PAR-1 organizes the oocyte cytoskeleton and directs oskar mRNA localization to the posterior pole." Cell 101: 377-388 (2000). Siliciano, J. D., Morrow, T. A., and Desiderio, S. V. "itk, a T-cell-specific tyrosine kinase gene inducible by interleukin 2." Proc. Natl. Acad. Sci. USA 89: 11194-11198 (1992). Sinn, E., Muller, W., Pattengale, P., Tepler, I., Wallace, R., and Leder, P. "Coexpression of MMTV/v-Ha-ras and MMTV/c-myc genes in transgenic mice: Synergistic action of oncogenes in vivo." Cell 49: 465-475 (1987). Slamon, D. J., Clark, G. M., and Wong, S. G. "Human breast cancer: Correlation of relapse and survival with 116 amplification of the HER-2/neu oncogene." Science 235: 177-182 (1987). Slamon, D. J., Godolphin, W., Jones, L. A., Holt, J. A., Wong, S. G., Keith, D. E., Levin, W. J., Stuart, S. G., Udove, J., Ullrich, A., et al. "Studies of the HER-2/neu proto-oncogene in human breast and ovarian cancer." Science 244: 707-712 (1989). Stairs, D. B., Gardner, H. P., Ha, S. I., Copeland, N. G., Gilbert, D. J., Jenkins, N. A., and Chodosh, L. A. "Cloning and characterization of Krct, a member of a novel subfamily of serine/threonine kinases." Hum. Mol. Genet. 7: 2157-2166 (1998). Stambolic, V., Suzuki, A., de la Pompa, J. L., Brothers, G. M., Mirtsos, C., Sasaki, T., Ruland, J., Penninger, J. M., 81 Siderovski, D. P., and Mak, T. W. "Negative regulation of PKB/Akt-dependent cell survival by the tumor suppressor PTEN." Cell 95: 29-39 (1998). **Examiner Signature:** Bical 14MM Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. PTO-1449.doc



Sheet 7 of 8 JAN 0 3 2003 Form PTO-1449 DOCKET NO. 22253-70421 U.S. Departm The Color Control of 1600/2900 APPLICANT: Lewis A. Chodosh, et be Qate Filed: December 31, 2002 FILING DATE: 12/21/2001 DEC 3 1 2002 OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, etc.) Steck, P. A., Pershouse, M. A., Jasser, S. A., Yung, W. K., Lin, H., Ligon, A. H., Langford, L. A., Baumgard, M. L., Hattier, T., Davis, T., Frye, C., Hu, R., Swedlund, B., Teng, D. H., and Tavtigian, S. V. "Identification of a candidate turnour suppressor gene, MMAC1, at chromosome 10q23.3 that is mutated in multiple advanced cancers." Nat. Genet. 15: 356-362 (1997). Sternlicht, M. D., Lochter, A., Sympson, C. J., Huey, B., Rougier, J., Gray, J. W., Pinkel, D., Bissell, M. J. and Werb, Z." The stromal proteinase MP3/ stromelysin-1 promotes mammary carcinogenesis." Cell 98: 137-146 Stitt, T. N., Conn, G., Gore, M., Lai, C., Bruno, J., Radziejewski, C., Mattsson, K., Fisher, J., Gies, D. R., Jones, P. F., et al. "The anticoagulation factor protein S and its relative, Gas6, are ligands for the Tyro 3/Axl family of receptor tyrosine kinases." Cell 80: 661-670 (1995). Tamagnone, L., and Comoglio, P. M. "Control of invasive growth by hepatocyte growth factor (HGF) and related 123 scatter factors." Cytokine Growth Factor Rev. 8: 129-142 (1997). ten Dijke, P., Franzen, P., Yamashita, H., Ichijo, H., Heldin, C., and Miyazono, K. "Serine-threonine kinase 124 receptors." Progr. Growth Factor Res. 5: 55-72 (1994). Teng, C. "Mouse lactoferrin gene: a marker for estrogen and epidermal growth factor." Environ. Health Perspect. 125 103: 17-20 (1995). Thompson-Jaeger, S., Francois, J., Gaughran, J. P., and Tatchell, K. "Deletion of SNF1 affects the nutrient response of yeast and resembles mutations which activate the adenylate cyclase path-way." Genetics 129: 697-706 Tokishita, S., Shiga, Y., Kimura, S., Ohta, T., Kobayashi, M., Hanazato, T., and Yamagata, H. "Cloning and 127 analysis of a cDNA encoding a two-domain hemoglobin chain from the water flea Daphnia magna." Gene 189: Topper, Y. J. and Freeman, C. S. "Multiple hormone interactions in the developmental biology of the mammary 128 gland." Physiol. Rev. 60: 1049-1106 (1980). Tsarfaty, I., Resau, J. H., Rulong, S., Keydar, I., Faletto, D. L., and Vande Woude, G. F. "The met proto-oncogene receptor and lumen formation." Science 257: 1258-1261 (1992). Tsukada, S., Saffran, D. C., Rawlings, D. J., Parolini, O., Allen, R. C., Klisak, I., Sparkes, R. S., Kubagawa, H., 130 Mohandas, T., Quan, S., et al. "Deficient expression of a B cell cytoplasmic tyrosine kinase in human X-linked agammaglobulinemia." Cell 72: 279-290 (1993). Ugolini, F., Adelaide, J., Charafe-Jauffret, E., Nguyen, C., Jacquemier, J., Jordan, B., Birnbaum, D., and Pebusque, 131 M. J. "Differential expression assay of chromosome arm 8p genes identifies Frizzled-related (FRP1/FRZB) and fibroblast growth factor receptor 1 (FGFR1) as candidate breast cancer genes." Oncogene 18: 1903-1910 (1999). Umemori, H., Wanaka, A., Kato, H., Takeuchi, M., Tohyama, M., and Yamamoto, T. "Specific expressions of Fyn 132 and Lyn, lymphocyte antigen receptor-associated tyrosine kinases, in the central nervous system." Brain Res. Mol. Brain Res. 16: 303-310 (1992). Valenzuela, D. M., Rojas, E., Griffiths, J. A., Compton, D. L., Gisser, M., Ip, N. Y., Goldfarb, M., and Yancopoulos, G. D. "Identification of full-length and truncated forms of Ehk-3, a novel member of the Eph receptor tyrosine kinase family." Oncogene 10: 1573-1580 (1995a). Valenzuela, D. M., Stitt, T. N., DiStefano, P. S., Rojas, E., Mattsson, K., Compton, D. L., Nunez, L., Park, J. S., Stark, J. L., Gies, D. R., et al. "Receptor tyrosine kinase specific for the skeletal muscle lineage: Expression in embryonic muscle, at the neuromuscular junction, and after injury." Neuron 15: 573-584 (1995b). Wang, M. H., Dlugosz, A. A., Sun, Y., Suda, T., Skeel, A., and Leonard, E. J. "Macrophage-stimulating protein 135 induces proliferation and migration of murine keratinocytes." Exp. Cell Res. 226: 39-46 (1996). Webster, N. J., Resnik, J. L., Reichart, D. B., Strauss, B., Haas, M., and Seely, B. L. "Repression of the insulin 136 receptor promoter by the tumor suppressor gene product p53: A possible mechanism for receptor overexpression in breast cancer." Cancer Res. 56: 2781-2788 (1996). Wilks, A. F. "Cloning members of protein-tyrosine kinase family using polymerase chain reaction." Methods 137 Enzymol. 200: 533-546 (1991). Wilks, A. F. "Two putative protein-tyrosine kinases identified by application of the polymerase chain reaction." Proc. Natl. Acad. Sci. USA 86: 1603-1607 (1989). **Examiner Signature:** Drailon 1911/10 Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. PTO-1449.doc

Sheet 8 of 8	ΔN U S 2003		
Form PTO-	1449 TEOUS	- J/	W 0 6 7002
	TECH CENTER 1600/2900	DOCKET NO. 22253-7042 CH C	1 2003
OIPE		DOCKET NO. 22253-7042 77 (MARIO N. NO. 10/022 256
/ "	Date Filed: December 31, 2002	•	. (0)///20/3/
1	(9) Date Filed: December 21, 2000	APPLICANT: Lewis A. Chodosh,	et al
, DEC 3 1 2002	w December 31, 2002		
\$ F	<u>C</u>	FILING DATE: 12/21/2001	CDOID 1615
E 3 1 2002	OTHER DOCUMENT(S) (Including Wilks, A. F., Kurban, R. R. Hovens, C. M. and		GROUP 1645
7 AV 13	Wilks, A. F., Kurban, R. R., Hovens, C. M., and cloning members of the protein tyrosine kinase f	Rainh S I "The application of all	elc.)
A VOY DEM	cloning members of the protein tyrosine kinase f Wilson, W., Hawley, S. and Hardis, D. "Characteristics of the protein tyrosine kinase f	amily" Gene 85: 67, 74 (1000)	polymerase chain reaction to
1 14	Wilson, W., Hawley S. and Hardia D. "Cl	(1989).	
	activated by phosphorylation under derepressing Curr. Biol. 6: 1426-1434 (1996).	conditions and this complete it	yeast: SNF1 protein kinase is
	Curr. Biol. 6: 1426-1434 (1906)	The man will contend to MICE	I nigh AMP: ATP ratio."
14	Woods, A., Cheung P. C. Smith F. C. David	77.5	
	AMP-activated protein kinase beta and gamma si Biol. Chem. 271: 10282–10290 (1996).	uhunite Assembly of the 1	rling, D. "Characterization of
	1 Biol. Chem. 271: 10282-10200 (100c)	or me netero-tilli	enc complex in vitro" /
142	Wyllie, A. H., Arends, M. J., Morris R. G. Wall	ro- C W 17	
<u> </u>	regulation." Semin. Immunol. 4: 389–397 (1992).	ici, 5. W., and Evan, G. The apopto	sis endonuclease and its
143	Yang, X., Hubbard, E. J., and Carlson M "A pro	tain bin	
	Yang, X., Hubbard, E. J., and Carlson, M. "A pro Science 257: 680–682 (1992).	tem kmase substrate identified by the	e two-hybrid system."
144	Yang, X., Jiang, R., and Carlson, M. "A family of		
	interaction with the yeast SNF1 protein kinase con Yi, T. L., Bolen, J. B., and Ihle, I. N. "Hometers"	proteins containing a conserved dor	nain that mediates
145	Yi, T. L., Bolen, J. B., and Ihle J. N. "Hameton."	15. 3878-3886 (19	994).
	Yi, T. L., Bolen, J. B., and Ihle, J. N. "Hematopoi acids in the amino terminus." Mol. Cell. Biol. 11:	2301 2308 (1991)	nase differing by 21 amino
146	Yokokura, H., Picciotto, M. P., Noim A. C., 11	2000 (1991).	
	dependent protein kinase I contains closely associated. 270: 23851–23859 (1995).	ridaka, H. "The regulatory region of	calcium/calmodulin-
	Chem. 270: 23851-23850 (1005)	a autominorior y and camioquim-b	unding domains " I Riol
147	Yokokura, H., Terada O. Naito V. and Irida	17 //2	
	Ca21/calmodulin-dependent protein kinasa Ligasa	n. Isolation and comparison of rat c	DNAs encoding
148	Yu, G., Smithgall T F and Glazar D I WEGG	Biochim. Biophys. Acta 1338: 1	B−12 (1997).
	ability to undergo myeloid differentiation " / D. 1	cukering cens transfected with the hu	man c-fes gene acquire the
149	Liegler, S. F., Marth, J. D. Lewis D. P. and Deal	10270-10281 (1989).	
	preferentially expressed in cells of hematopoietic o Zimmermann, F., Kaufmann, L., Rasenberger, H.,	rigin" M. "Novel protein-tyrosine	kinase gene (hck)
150	Zimmermann, F., Kaufmann, I. Pasonhama, II.	-18th. Mot. Cen. Biol. 1: 22/6-2285	(1987).
BY	Zimmermann, F., Kaufmann, I., Rasenberger, H., a Saccharomyces cerevisiae: Genes involved in the d	erepression process "It's a	n catabolite repression in
יט		orepression process." Mol. Gen. Gene	et. 154: 95–103 (1977).
		•	
			1
	,		
			1
			
1 . 1			
	<u> </u>		
	·		İ
xaminer Signat			
ER: Initial if referen		Date Considered	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in cohformance and not considered. PTO-1449.doc